



SOLAR LIGHTING



Poly
Vinyl
Creations

www.Justpolyit.com
Marketing@polyvinylc.com



 LMT Mercer Group, Inc.



Product #

Description

Box
Wt.

Box
Qty.


Available
Colors

Solar Accessory Lighted Post Caps



1827

Available In



2" Sq. Solar Ornamental Post Cap
with Accessory Connection

Maximum profile dimensions 2.010" Sq., Corner Radius:
0.02", Extends 0.50" over the profile, Total Height: 1.35"

6 lbs

2


Skid Qty
4320

Black
W: White
Textured Black



1828

Available In



2.5" Sq. Solar Ornamental Post Cap
with Accessory Connection

Maximum profile dimensions 2.51" Sq., Corner Radius:
0.02", Extends 0.50" over the profile, Total Height: 1.35"

6 lbs

2


Skid Qty
4320

Black
W: White
Textured Black



1829

Available In



3" Sq. Solar Ornamental Post Cap with
Accessory Connection

Maximum profile dimensions 3.01" Sq., Corner Radius:
0.02", Extends 0.50" over the profile, Total Height: 1.35"

6 lbs

2


Skid Qty
2592

Black
W: White
Textured Black



1830

Available In



3.5" Sq. Solar Ornamental Post Cap with
Accessory Connection

Maximum profile dimensions 3.51" Sq., Corner Radius:
0.02", Extends 0.50" over the profile, Total Height: 1.35"

6 lbs

2


Skid Qty
2592

Black
W: White
Textured Black



1653

Available In



4" Sq. Cape May Solar Post Cap with
Accessory Connection

Maximum Profile Dimension 4.010" Sq., Corner Radius
0.094", Extends 0.545" over the profile, Total
Height: 2.20", End Connector: 0.375" Diameter

6 lbs

6


Skid Qty
180

W: White
KK: Khaki
NA: Almond
KT: Beige



1654

Available In



4" Sq. Neptune Solar Post Cap with
Accessory Connection

Maximum profile dimensions 4.010" Sq., Corner Radius
0.094", Extends 0.545" over the profile, Total Height:
2.15", End Connector: 0.375" Diameter

6 lbs

6

Skid Qty
N/A

W: White
KK: Khaki
NA: Almond
KT: Beige



Product #

Description

Box
Wt.

Box
Qty.

Available
Colors

Solar Accessory Lighted Post Caps

| | | | | | |
|--|--|---|--------------|-------------------------------|--|
| | <p>1655 Available In</p> <p><i>Designer Products</i></p> | <p>5" Sq. Cape May Solar Post Cap with Accessory Connection</p> <p>Maximum profile dimensions 5.010" Sq., Corner radius: 0.094" Extends 0.550" over the profile, Total height: 2.360", End Connector: 0.375" Diameter</p> | <p>6 lbs</p> | <p>6 Skid Qty N/A</p> | <p>W: White KK: Khaki NA: Almond KT: Beige</p> |
| | <p>1656 Available In</p> <p><i>Designer Products</i></p> | <p>5" Sq. Neptune Solar Post Cap with Accessory Connection</p> <p>Maximum profile dimension 5.010" Sq., Corner radius: 0.094", Extends 0.550" over the profile, Total height: 2.310", End Connector: 0.375" Diameter</p> | <p>6 lbs</p> | <p>6 Skid Qty N/A</p> | <p>W: White KK: Khaki NA: Almond KT: Beige</p> |
| | <p>1657 Available In</p> <p><i>Designer Products</i></p> | <p>6" Sq. Cape May Solar Post Cap with Accessory Connection</p> <p>Maximum profile dimension 6.010" Sq., Corner radius: 0.094" Extends 0.550" over the profile, Total height: 2.360", End Connector: 0.375" Diameter</p> | <p>6 lbs</p> | <p>6 Skid Qty N/A</p> | <p>W: White KK: Khaki NA: Almond KT: Beige</p> |
| | <p>1658 Available In</p> <p><i>Designer Products</i></p> | <p>6" Sq. Neptune Solar Post Cap with Accessory Connection</p> <p>Maximum profile dimension 6.010" Sq., Corner radius: 0.094" Extends 0.550" over the profile, Total height: 2.310", End Connector: 0.375" Diameter</p> | <p>6 lbs</p> | <p>6 Skid Qty 180</p> | <p>W: White KK: Khaki NA: Almond KT: Beige</p> |

2" Solar Lighted Post Caps

| | | | | | |
|--|--|---|----------------|---|---------------|
| | <p>5559 Black</p> <p><i>Designer Products</i></p> | <p>2" - 2.5" Galaxy Solar Ornamental Light Post Cap - Black</p> <p>Fits Externally over 2-1/2" Sq. post or 2" Sq. post Includes adapter, Four LED Lights Dimensions 4.2" wide x 2.4" height NiMH-Cad Batteries Fits 3" Post Internally (US Patent # 6,722,637)</p> | <p>0.4 lbs</p> | <p>24 Skid Qty 1440 pcs</p> | <p>Black</p> |
| | <p>5559 Copper</p> <p><i>Designer Products</i></p> | <p>2" - 2.5" Galaxy Solar Ornamental Light Post Cap - Copper</p> <p>Fits Externally over 2-1/2" Sq. post or 2" Sq. post Includes adapter, Four LED Lights Dimensions 4.2" wide x 2.4" height NiMH-Cad Batteries Fits 3" Post Internally (US Patent # 6,722,637)</p> | <p>0.4 lbs</p> | <p>24 Skid Qty 1440 pcs</p> | <p>Copper</p> |



Product #

Description

Box
Wt.

Box
Qty.

Available
Colors

2" Solar Lighted Post Caps



5559
White

2" - 2.5" Galaxy Solar Ornamental Light Post
Cap - White

Fits Externally over 2-1/2" Sq. post or 2" Sq. post Includes
adapter, Four LED Lights Dimensions 4.2" wide x 2.4"
height NiMH-Cad Batteries Fits 3" Post Internally
(US Patent # 6,722,637)


0.4 lbs $\frac{\text{Skid Qty}}{1440}$
pcs

24

W: White



1823
Available In



2" Sq. Ornamental Downward Solar
Light Post Cap

Maximum profile dimensions 2.010" Sq., Corner Radius:
0.02", Extends 0.50" over the profile, Total Height:
1.35", 6 Lumens (US Patent # 6,722,637)


2 lbs $\frac{\text{Skid Qty}}{4320}$

6

Black
W: White
Textured Black



1819
Available In



2" Sq. Ornamental Solar Light Post Cap

Maximum profile dimensions 2.010" Sq., Corner Radius:
0.02", Extends 0.50" over the profile, Total Height:
1.35", 6 Lumens (US Patent # 6,722,637)

3 lbs $\frac{\text{Skid Qty}}{3456}$

6

Black
W: White
Textured Black

2.5" Solar Lighted Post Caps



1824

2.5" Sq. Ornamental Downward Solar
Light Post Cap

Maximum profile dimensions 2.510" Sq., Corner Radius:
0.02", Extends 0.50" over the profile, Total Height:
1.35", 6 Lumens (US Patent # 6,722,637)

3 lbs $\frac{\text{Skid Qty}}{3456}$

6

Black
W: White
Textured Black



1820

2.5" Sq. Ornamental Solar Light Post Cap

Maximum profile dimensions 2.510" Sq., Corner Radius:
0.02", Extends 0.50" over the profile, Total Height:
1.75", 3 Lumens (US Patent # 6,722,637)

2 lbs $\frac{\text{Skid Qty}}{3456}$

6

Black
W: White
Textured Black



Product #

Description

Box
Wt.

Box
Qty.

Available
Colors

4" Solar Lighted Post Caps



5558
COPPER

4"- 5" Sq. Galaxy Solar Post Cap - Copper
Fits externally over 4" Sq." or 5" Sq. post, 4" Sq. solar panel, Dual NiMh rechargeable batteries, 4 ea. LED lights, Up to 12 hours of light, includes adapter for use with 4" posts, 3-1/2" post adapter available separately for 3-1/2" PVC post or 4" Sq. wood post, 9000 Kelvin, 3 Lumens (US Patent # 6,722,637)

47 lbs $\frac{24}{\text{Skid Qty 480 pcs}}$

Copper



5558
STAINLESS

4"- 5" Sq. Galaxy Solar Post Cap - Stainless
Fits externally over 4" Sq." or 5" Sq. post, 4" Sq. solar panel, Dual NiMh rechargeable batteries, 4 ea. LED lights, Up to 12 hours of light, includes adapter for use with 4" posts, 3-1/2" post adapter available separately for 3-1/2" PVC post or 4" Sq. wood post, 9000 Kelvin, 3 Lumens (US Patent # 6,722,637)

47 lbs $\frac{24}{\text{Skid Qty 480 pcs}}$

Stainless



5558


4"- 5" Sq. Galaxy Solar Post Cap
Fits externally over 4" Sq." or 5" Sq. post, 4" Sq. solar panel, Dual NiMh rechargeable batteries, 4 ea. LED lights, Up to 12 hours of light, includes adapter for use with 4" posts, 3-1/2" post adapter available separately for 3-1/2" PVC post or 4" Sq. wood post, 9000 Kelvin, 3 Lumens (US Patent # 6,722,637)

47 lbs $\frac{24}{\text{Skid Qty 480 pcs}}$

W: White
KK: Khaki
NA: Almond
KT: Beige



1640
Available in



4" Sq. Neptune Downward Solar Light Post Cap

Maximum profile dimensions 4.010" Sq., Corner Radius: 0.094", Extends 0.545" over the profile, Total Height: 2.15", 5000 Kelvin, 6 Lumens (US Patent # 6,722,637)

6 lbs $\frac{6}{\text{Skid Qty 180}}$

W: White
KK: Khaki
NA: Almond
KT: Beige



1851
Available in




4" Sq. Neptune Halo Solar Light Post Cap
Maximum profile dimensions 4.010" Sq., Corner Radius: 0.10", Extends 0.55" over the profile, Total Height: 3.13", 5000 Kelvin, 3 Lumens. (US Patent # 6,722,637)

6 lbs $\frac{6}{\text{Skid Qty 180}}$

W: White
KK: Khaki
NA: Almond
KT: Beige



1666
Available in



4" Sq. Neptune Scallop Lens Solar Light Post Cap

Maximum profile dimensions 4.010" Sq., Corner radius: 0.094", Extends 0.550" over the profile, Total height: 3.725", 5000 Kelvin, 5 Lumens (US Patent # 6,722,637)

6 lbs $\frac{6}{\text{Skid Qty 180}}$

W: White
KK: Khaki
NA: Almond
KT: Beige



Product #

Description

Box
Wt.

Box
Qty.

Available
Colors

3" Solar Lighted Post Caps



1825
Available In



3" Sq. Ornamental Downward Solar
Light Post Cap

Maximum profile dimensions 3.01" Sq., Corner Radius:
0.02", Extends 0.50" over the profile, Total Height:
1.35", 6 Lumens (US Patent # 6,722,637)


2 lbs

6
Skid Qty
2592

Black
W: White
Textured Black



1821
Available In



3" Sq. Ornamental Solar Light Post Cap

Maximum profile dimensions 3.01" Sq., Corner Radius:
0.02", Extends 0.50" over the profile, Total Height:
1.75", 3 Lumens (US Patent # 6,722,637)

3 lbs

6
Skid Qty
1944

Black
W: White
Textured Black

3.5" Solar Lighted Post Caps



5558-3.5B

3.5" Sq. Galaxy Post Cap Adapter - Black

Adapter allows for Galaxy Solar Post Cap to be used on
3-1/2" PVC Post, or 4" Sq. Wood (3-1/2" actual) Post

0.2 lbs

24
Skid Qty
N/A

Black



5558-3.5C


3.5" Sq. Galaxy Post Cap Adapter - Copper

Adapter allows for Galaxy Solar Post Cap to be used on
3-1/2" PVC Post, or 4" Sq. Wood (3-1/2" actual) Post

0.2 lbs

24
Skid Qty
N/A

Copper



5558-3.5S

3.5" Sq. Galaxy Post Cap Adapter - Stainless

Adapter allows for Galaxy Solar Post Cap to be used on
3-1/2" PVC Post, or 4" Sq. Wood (3-1/2" actual) Post

0.2 lbs

24
Skid Qty
N/A

Stainless



5558-3.5W

3.5" Sq. Galaxy Post Cap Adapter - White

Adapter allows for Galaxy Solar Post Cap to be used on
3-1/2" PVC Post, or 4" Sq. Wood (3-1/2" actual) Post

0.2 lbs

24
Skid Qty
N/A

W: White



Product #


Description

Box
Wt.

Box
Qty.

Available
Colors

3.5" Solar Lighted Post Caps



1826

3.5" Sq. Ornamental Downward Solar
Light Post Cap

Maximum profile dimensions 3.51" Sq., Corner Radius:
0.02", Extends 0.50" over the profile, Total Height:
1.35", 6 Lumens (US Patent # 6,722,637)

2 lbs

6

Skid Qty
2592

Black
W: White
Textured Black



1822

3.5" Sq. Ornamental Solar Light Post Cap

Maximum profile dimensions 2.510" Sq., Corner
Radius: 0.02", Extends 0.50" over the profile, Total
Height: 1.35", 6 Lumens (US Patent # 6,722,637)

3 lbs

6

Skid Qty
1944

Black
W: White
Textured Black

3.625" Solar Lighted Post Caps



1856

Available In

3.625" Sq. Cape May Halo Solar
Post Cap Light

(For 4" Wood Post) Maximum profile dimensions
3.625" Sq., Corner Radius: 0.1", Extends 0.55" over the
profile, Total Height: 3.0", 5000 Kelvin, 3 Lumens.
(US Patent # 6,722,637)

6 lbs

6

Skid Qty
180

W: White
KK: Khaki
NA: Almond
KT: Beige



1482

Available In

3.625" Sq. Cape May Solar Light Post Cap

(For 4" Wood Post) Maximum profile dimensions 3.625"
Sq., Corner Radius: 0.094", Extends 0.545" over the
profile, Total Height: 3.230", 5000 Kelvin, 3 Lumens
(US Patent # 6,722,637)

6 lbs

6

Skid Qty
180
pcs

W: White
KK: Khaki
NA: Almond
KT: Beige



1850

Available In

3.625" Sq. Neptune Halo Solar
Light Post Cap

(For 4" Wood Post) Maximum Profile Dimension 3.625" Sq.,
Corner Radius: 0.1", Extends 0.55" over the profile,
Total Height: 3.0", 5000 Kelvin, 3 Lumens.
(US Patent # 6,722,637)

6 lbs

6

Skid Qty
180

W: White
KK: Khaki
NA: Almond
KT: Beige



1480

Available In

3.625" Sq. Neptune Solar Light Post Cap

(For 4" Wood Post) Maximum profile dimensions 3.625" Sq.,
Corner Radius: 0.094", Extends 0.545" over the profile,
Total Height: 3.230", 5000 Kelvin, 3 Lumens
(US Patent # 6,722,637)

6 lbs

6

Skid Qty
180
pcs

W: White
KK: Khaki
NA: Almond
KT: Beige



Product #

Description

Box
Wt.

Box
Qty.

Available
Colors

4" Solar Lighted Post Caps



LZN44

4" Sq. Cambridge Solar Accent
Light Post Cap

Maximum Profile Dimension 4.010" Sq., Corner Radius:
0.093", Extends 0.715" over the profile, Total Height:
5.910", 5000 Kelvin, 3 Lumens
(US Patent # 6,722,637)

20 lbs

12
Skid Qty
288
pcs

W: White



1639

4" Sq. Cape May Downward Solar
Light Post Cap

Maximum Profile Dimension 4.010" Sq., Corner Radius:
0.094", Extends 0.545" over the profile, Total Height:
2.20", 5000 Kelvin, 6 Lumens
(US Patent # 6,722,637)

6 lbs

6
Skid Qty
180

W: White
KK: Khaki
NA: Almond
KT: Beige



1857

4" Sq. Cape May Halo Solar Light Post Cap

Maximum Profile Dimensions 4.010" Sq., Corner Radius:
0.10", Extends 0.55" over the profile, Total Height:
3.13", 5000 Kelvin, 3 Lumens. (US Patent # 6,722,637)

6 lbs

6
Skid Qty
180

W: White
KK: Khaki
NA: Almond
KT: Beige



1665

4" Sq. Cape May Scallop Lens Solar
Light Post Cap

Maximum Profile Dimension 4.010" Sq., Corner radius:
0.094", Extends 0.545" over the profile, Total Height:
3.70", 5000 Kelvin, 5 Lumens
(US Patent # 6,722,637)

7 lbs

6
Skid Qty
180

W: White
KK: Khaki
NA: Almond
KT: Beige



1483

4" Sq. Cape May Solar Light Post Cap

Maximum Profile Dimensions 4.010" Sq., Corner Radius:
0.094", Extends 0.545" over the profile, Total Height:
3.230", 5000 Kelvin, 3 Lumens
(US Patent # 6,722,637)

6 lbs

6
Skid Qty
180
pcs

W: White
KK: Khaki
NA: Almond
KT: Beige



5558
BLACK

4"- 5" Sq. Galaxy Solar Post Cap - Black

Fits externally over 4" Sq. or 5" Sq. post, 4" Sq. solar
panel, Dual NiMH rechargeable batteries, 4 ea. LED
lights, Up to 12 hours of light, includes adapter for use
with 4" posts, 3-1/2" post adapter available separately
for 3-1/2" PVC post or 4" Sq. wood post, 9000 Kelvin,
3 Lumens (US Patent # 6,722,637)

47 lbs

24
Skid Qty
480
pcs

Black



Product #

Description

Box
Wt.

Box
Qty.

Available
Colors

4" Solar Lighted Post Caps



1481

Available In



4" Sq. Neptune Solar Light Post Cap
Maximum profile dimensions 4.010" Sq., Corner Radius: 0.094", Extends 0.545" over the profile, Total Height: 3.250", 5000 Kelvin, 3 Lumens (US Patent # 6,722,637)

6 lbs

6

Skid Qty
180
pcs

W: White
KK: Khaki
NA: Almond
KT: Beige



1481

Copper

Available In



**4" Sq. Neptune Solar Light Post Cap
Copper Plated**
Maximum profile dimensions 4.010" Sq., Corner Radius: 0.094", Extends 0.545" over the profile, Total Height: 3.250", 5000 Kelvin, 3 Lumens (US Patent # 6,722,637)

6 lbs

6

Skid Qty
180
pcs

Copper



1481

Silver

Available In



**4" Sq. Neptune Solar Light Post Cap
Silver Plated**
Maximum profile dimensions 4.010" Sq., Corner Radius: 0.094", Extends 0.545" over the profile, Total Height: 3.250", 5000 Kelvin, 3 Lumens (US Patent # 6,722,637)

6 lbs

6

Skid Qty
180
pcs

Silver



LZC45

4" Sq. Solar Accent Light Post Cap
Maximum Profile Outside Dimension 3.484" Sq., Extends 0.496" over the profile, Total Height 3.350", 5000 Kelvin, 3 Lumens (US Patent # 6,722,637)

11 lbs

12

Skid Qty
576
pcs

W: White

4.5" Solar Lighted Post Caps



1858

Available In



**4.5" Sq. Cape May Halo Solar
Light Post Cap**
Maximum profile dimensions 4.55" Sq., Corner radius: 0.25", Extends 0.550" over the profile, Total height: 3.0", 5000 Kelvin, 3 Lumens. (US Patent # 6,722,637)

6 lbs

6

Skid Qty
180
pcs

W: White
KK: Khaki
NA: Almond
KT: Beige



1562

Available In



4.5" Sq. Cape May Solar Post Cap
Maximum profile dimensions 4.520" Sq., Corner radius: 0.94", Extends 0.550" over the profile, Total height: 2.50", 5000 Kelvin, 3 Lumens (US Patent # 6,722,637)

7 lbs

6

Skid Qty
180
pcs

W: White
KK: Khaki
NA: Almond
KT: Beige



Product #


Description

Box
Wt.


Box
Qty.

Available
Colors

4.5" Solar Lighted Post Caps



1852
Available in




4.5" Sq. Neptune Halo Solar Light Post Cap
Maximum profile dimensions 4.55" Sq., Corner radius:
0.25", Extends 0.55" over the profile, Total height 3.0",
5000 Kelvin, 3 Lumens. (US Patent # 6,722,637)

6 lbs $\frac{6}{\text{Skid Qty } 180}$

W: White
KK: Khaki
NA: Almond
KT: Beige



1564
Available in



4.5" Sq. Neptune Solar Post Cap
Maximum profile dimensions 4.520" Sq., Corner
radius: 0.094", Extends 0.550" over the profile, Total
height 2.50", 5000 Kelvin, 3 Lumens
(US Patent # 6,722,637)

7 lbs $\frac{6}{\text{Skid Qty } 180 \text{ pcs}}$

W: White
KK: Khaki
NA: Almond
KT: Beige

5" Solar Lighted Post Caps



LZN55


5" Sq. Cambridge Solar Light Post Cap
Maximum Profile Dimension 5.010" Sq., Corner Radius:
0.187", Extends 0.650" over the profile, Total Height:
5.280, 5000 Kelvin, 3 Lumens
(U.S. Patent 6,722,637)

19 lbs $\frac{12}{\text{Skid Qty } 288 \text{ pcs}}$

W: White
KK: Khaki
NA: Almond
KT: Beige



1641
Available in



**5" Sq. Cape May Downward
Solar Light Post Cap**
Maximum profile dimensions 5.010" Sq., Corner radius:
0.094", Extends 0.550" over the profile, Total height:
2.380", 5000 Kelvin, 6 Lumens
(US Patent # 6,722,637)

6 lbs $\frac{6}{\text{Skid Qty } 180}$

W: White
KK: Khaki
NA: Almond
KT: Beige



1859
Available in




5" Sq. Cape May Halo Solar Light Post Cap
Maximum profile dimension 5.010" Sq., Corner radius:
0.10", Extends 0.55" over the profile, Total height: 3.43,
5000 Kelvin, 3 Lumens. (US Patent # 6,722,637)

6 lbs $\frac{6}{\text{Skid Qty } 180}$

W: White
KK: Khaki
NA: Almond
KT: Beige



1667
Available in



**5" Sq. Cape May Scallop Lens
Solar Light Post Cap**
Maximum profile dimensions 5.010" Sq., Corner radius:
0.094" Extends 0.550" over the profile, Total height:
3.815", 5000 Kelvin, 5 Lumens
(US Patent # 6,722,637)

6 lbs $\frac{6}{\text{Skid Qty } 180}$

W: White
KK: Khaki
NA: Almond
KT: Beige



Product #

Description

Box
Wt.

Box
Qty.


Available
Colors

5" Solar Lighted Post Caps



1517

Available in



5" Sq. Cape May Solar Light Post Cap
Maximum profile dimension 5.010" Sq., Corner radius:
0.94", Extends 0.545" over the profile, Total height:
3.350", 5000 Kelvin, 3 Lumens
(US Patent # 6,722,637)

6 lbs

6

Skid Qty
180
pcs

W: White
KK: Khaki
NA: Almond
KT: Beige



LZC55

5" Sq. Classic Solar Light Post Cap
Maximum Profile Dimension 4.950" Sq., Corner Radius:
0.140", Extends 0.510" over the profile, Total Height:
3.350", 5000 Kelvin, 3 Lumens
(US Patent # 6,722,637)

13 lbs

12

Skid Qty
432
pcs

W: White



5558
BLACK

4"- 5" Sq. Galaxy Solar Post Cap - Black
Fits externally over 4" Sq." or 5" Sq. post, 4" Sq. solar
panel, Dual NiMh rechargeable batteries, 4 ea. LED
lights, Up to 12 hours of light, includes adapter for use
with 4" posts, 3-1/2" post adapter available separately
for 3-1/2" PVC post or 4" Sq. wood post, 9000 Kelvin,
3 Lumens (US Patent # 6,722,637)

47 lbs

24

Skid Qty
480
pcs

Black



5558
COPPER

4"- 5" Sq. Galaxy Solar Post Cap - Copper
Fits externally over 4" Sq." or 5" Sq. post, 4" Sq. solar
panel, Dual NiMh rechargeable batteries, 4 ea. LED
lights, Up to 12 hours of light, includes adapter for use
with 4" posts, 3-1/2" post adapter available separately
for 3-1/2" PVC post or 4" Sq. wood post, 9000 Kelvin,
3 Lumens (US Patent # 6,722,637)

47 lbs

24

Skid Qty
480
pcs

Copper



5558
STAINLESS

4"- 5" Sq. Galaxy Solar Post Cap - Stainless
Fits externally over 4" Sq." or 5" Sq. post, 4" Sq. solar
panel, Dual NiMh rechargeable batteries, 4 ea. LED
lights, Up to 12 hours of light, includes adapter for use
with 4" posts, 3-1/2" post adapter available separately
for 3-1/2" PVC post or 4" Sq. wood post, 9000 Kelvin,
3 Lumens (US Patent # 6,722,637)

47 lbs

24

Skid Qty
480
pcs

Stainless



5558

4"- 5" Sq. Galaxy Solar Post Cap
Fits externally over 4" Sq." or 5" Sq. post, 4" Sq. solar
panel, Dual NiMh rechargeable batteries, 4 ea. LED
lights, Up to 12 hours of light, includes adapter for use
with 4" posts, 3-1/2" post adapter available separately
for 3-1/2" PVC post or 4" Sq. wood post, 9000 Kelvin,
3 Lumens (US Patent # 6,722,637)

47 lbs

24

Skid Qty
480
pcs

W: White
KK: Khaki
NA: Almond
KT: Beige



Product #


Description

Box
Wt.

Box
Qty.


Available
Colors

5" Solar Lighted Post Caps



**1514
Copper**

Available In




**5" Sq. Neptune Solar Light Post Cap
Copper Plated**
Maximum profile dimensions 5.010" Sq., Corner Radius:
0.094", Extends 0.545" over the profile, Total Height:
3.410", 5000 Kelvin, 3 Lumens
(US Patent # 6,722,637)

6 lbs

6


Skid Qty
180 pcs

Copper



**1514
Silver**

Available In



**5" Sq. Neptune Solar Light Post Cap
Silver Plated**
Maximum Profile Dimension 5.010" Sq., Corner Radius:
0.094", Extends 0.545" over the profile, Total Height:
3.410", 5000 Kelvin, 3 Lumens
(US Patent # 6,722,637)

6 lbs

6

Skid Qty
180
pcs

Silver



1642

Available In




**5" Sq. Neptune Downward Solar
Light Post Cap**
Maximum profile dimension 5.010" Sq., Corner radius:
0.094", Extends 0.550" over the profile, Total height:
2.310", 5000 Kelvin, 6 Lumens
(US Patent # 6,722,637)

6 lbs

6


Skid Qty
N/A

W: White
KK: Khaki
NA: Almond
KT: Beige



1853

Available In



5" Sq. Neptune Halo Solar Light Post Cap
Maximum Profile Dimension 5.010" Sq., Corner Radius:
0.10", Extends 0.55" over the profile, Total Height:
3.15", 5000 Kelvin, 3 Lumens. (US Patent # 6,722,637)

6 lbs

6


Skid Qty
180

W: White
KK: Khaki
NA: Almond
KT: Beige



1668

Available In



**5" Sq. Neptune Scallop Lens Solar
Light Post Cap**
Maximum profile dimension 5.010" Sq., Corner radius:
0.094", Extends 0.550" over the profile, Total height:
3.875", 5000 Kelvin, 5 Lumens
(US Patent # 6,722,637)

6 lbs

6


Skid Qty
180

W: White
KK: Khaki
NA: Almond
KT: Beige



1514

Available In



5" Sq. Neptune Solar Light Post Cap
Maximum Profile Dimension 5.010" Sq., Corner Radius:
0.094", Extends 0.545" over the profile, Total Height:
3.410", 5000 Kelvin, 3 Lumens
(US Patent # 6,722,637)

6 lbs

6

Skid Qty
180
pcs

W: White
KK: Khaki
NA: Almond
KT: Beige



Product #

Description

Box
Wt.


Box
Qty.

Available
Colors

5.625" Solar Lighted Post Caps



1860
Available In



5.625" Sq. Cape May Halo Solar Light Post Cap
Maximum Profile Dimension 5.5" Sq., Corner Radius: 0.10",
Extends 0.55" over the profile, Total Height: 3.15", 5000
Kelvin, 3 Lumens. (US Patent # 6,722,637)


6 lbs

6
Skid Qty
180
pcs

W: White
KK: Khaki
NA: Almond
KT: Beige



1518
Available In



5.625" Sq. Cape May Solar Light Post Cap
Maximum Profile Dimension 5.5" Sq., Corner Radius: 0.094",
Extends 0.545" over the profile, Total Height: 3.350",
5000 Kelvin, 3 Lumens (US Patent # 6,722,637)


6 lbs

6
Skid Qty
180
pcs

W: White
KK: Khaki
NA: Almond
KT: Beige



1854
Available In



5.625" Sq. Neptune Halo Solar Light Post Cap

Maximum Profile Dimension 5.5" Sq., Corner Radius: 0.10",
Extends 0.55" over the profile, Total Height: 3.15", 5000
Kelvin, 3 Lumens. (US Patent # 6,722,637)


6 lbs

6
Skid Qty
180
pcs

W: White
KK: Khaki
NA: Almond
KT: Beige



1515
Available In



5.625" Sq. Neptune Solar Light Post Cap
Maximum Profile Dimension 5.5" Sq., Corner Radius: 0.094",
Extends 0.545" over the profile, Total Height: 3.410",
5000 Kelvin, 3 Lumens (US Patent # 6,722,637)

6 lbs


6
Skid Qty
180
pcs

W: White
KK: Khaki
NA: Almond
KT: Beige

6" Solar Lighted Post Caps



1861
Available In



6" Sq. Cape May Halo Solar Light Post Cap
Maximum Profile Dimension 6.01" Sq., Corner Radius:
0.10", Extends 0.55" over the profile, Total Height:
3.43", 5000 Kelvin, 3 Lumens. (US Patent # 6,722,637)


6 lbs

6
Skid Qty
N/A

W: White
KK: Khaki
NA: Almond
KT: Beige



1519
Available In



6" Sq. Cape May Solar Light Post Cap
Maximum Profile Dimension 6.010" Sq., Corner Radius:
0.094", Extends 0.545" over the profile, Total Height:
3.350", 5000 Kelvin, 3 Lumens
(US Patent # 6,722,637)

6 lbs

6
Skid Qty
180
pcs

W: White
KK: Khaki
NA: Almond
KT: Beige



Product #

Description

Box
Wt.


Box
Qty.

Available
Colors

6" Solar Lighted Post Caps



1855
Available In




6" Sq. Neptune Halo Solar Light Post Cap
Maximum Profile Dimension 6.01" Sq., Corner Radius:
0.10", Extends 0.55" over the profile, Total Height:
3.15", 5000 Kelvin, 3 Lumens. (US Patent # 6,722,837)

6 lbs $\frac{6}{\text{Skid Qty } 180 \text{ pcs}}$

W: White
KK: Khaki
NA: Almond
KT: Beige



1516
Available In



6" Sq. Neptune Solar Light Post Cap
Maximum Profile Dimension 6.010" Sq., Corner Radius:
0.094", Extends 0.545" over the profile,
Total Height: 3.410" 5000 Kelvin, 3 Lumens
(US Patent # 6,722,837)

6 lbs $\frac{6}{\text{Skid Qty } 180 \text{ pcs}}$

W: White
KK: Khaki
NA: Almond
KT: Beige

Galaxy Solar Wedges



1392
BLACK

Galaxy Ornamental Solar Wedge
1.875" x 4.50" x 1.5" 2 LED Lights NiMh-Cad Batteries,
9000 Kelvin, 7 Lumens
(U.S. Patent #D553,783)

0.4 lbs $\frac{24}{\text{Skid Qty } \text{N/A}}$

Black



1392
COPPER

Galaxy Ornamental Solar Wedge
1.875" x 4.50" x 1.5" 2 LED Lights NiMh-Cad Batteries,
9000 Kelvin, 7 Lumens
(U.S. Patent #D553,783)

0.4 lbs $\frac{24}{\text{Skid Qty } \text{N/A}}$

Copper



1392
WHITE

Galaxy Ornamental Solar Wedge
1.875" x 4.50" x 1.5" 2 LED Lights NiMh-Cad Batteries,
9000 Kelvin, 7 Lumens
(U.S. Patent #D553,783)

0.4 lbs $\frac{24}{\text{Skid Qty } \text{N/A}}$

W: White



1306

Galaxy Solar Wedge Accent Light
3" x 2-1/2" x 7", Ultra bright 3 LED lights, 3 rechargeable
NiCad batteries. Attaches to most surfaces. Includes:
screws and 6" double-sided tape, No wiring required,
Auto on/off. 9000 Kelvin, 7 Lumens
(U.S. Patent #D553,783)

12 lbs $\frac{16}{\text{Skid Qty } 1536 \text{ pcs}}$

W: White
NA: Almond



Product #

Description

Box
Wt.

Box
Qty.

Available
Colors

Galaxy Solar Wedges



1306
BLACK

Galaxy Solar Wedge Accent Light - Black
3" x 2-1/2" x 7", Ultra bright 3 LED lights, 3 rechargeable NiMh batteries. Attaches to most surfaces. Includes: screws and 6" double-sided tape. No wiring required, Auto on/off. 9000 Kelvin, 7 Lumens (U.S. Patent #D553,783)

12 lbs

16

Skid Qty
1536
pcs

Black



1306
COPPER

Galaxy Solar Wedge Accent Light - Copper
3" x 2-1/2" x 7", Ultra bright 3 LED lights, 3 rechargeable NiMh batteries. Attaches to most surfaces. Includes: screws and 6" double-sided tape. No wiring required, Auto on/off. 9000 Kelvin, 7 Lumens (U.S. Patent #D553,783)

12 lbs

16

Skid Qty
1536
pcs

Copper



1306
STAINLESS

Galaxy Solar Wedge Accent Light - Stainless
3" x 2-1/2" x 7", Ultra bright 3 LED lights, 3 rechargeable NiMh batteries. Attaches to most surfaces. Includes: screws and 6" double-sided tape. No wiring required, Auto on/off. 9000 Kelvin, 7 Lumens (U.S. Patent #D553,783)

12 lbs

16

Skid Qty
1536
pcs

Stainless

