



Poly  
Vinyl  
Creations

**LOCINOX**

Let's make better fences together

[www.Justpolyit.com](http://www.Justpolyit.com)

[Marketing@polyvinylc.com](mailto:Marketing@polyvinylc.com)

**ORNAMENTAL SOLUTIONS**  
**Built to last!**



## GATE CLOSERS

Thanks to the mechanical spring and patented hydraulic damping, Locinox gate closers operate consistently over time regardless of the weather conditions! The closing speed, force or final snap can be easily adjusted on all of our gate closers.

Locinox Gate Closers:

- ✓ have Hydraulic Damping
- ✓ are Weather Resistant
- ✓ are tested for 500K cycles
- ✓ have an adjustable Speed & Final snap
- ✓ are Built to last

**NO GATESTOP  
NEEDED**



**3 YEAR  
WARRANTY**

**LION** - for gates up to 165 lbs.



**ADA  
COMPLIANT**

**9005 ZILV**



includes brackets  
for any hinge situation



**VERTICLOSE** - gates up to 330 lbs.



- RAIL for 90 hinges



- STD for 180 hinges

**TIGER** - for gates up to 165 lbs.



**ADA  
COMPLIANT**

**9005 ZILV**



includes PUMA hinge



**SAMSON-2** - for gates up to 330 lbs.



fits Chain Link - order brackets separately

**MAMMOTH** - for gates up to 330 lbs.



**ADA  
COMPLIANT**

**9005 ZILV**



includes DINO hinge



**B2B-PORTAL**


Fast and easy online ordering

Log on to our B2B-portal for up to date pricing and online ordering!  
Save \$10 per order with the promo code 'Locinox'.  
Ask us for a login.


## ELECTRIC GATE HARDWARE

### BOLT ON MAGLOCK (MAG2500 AND 5000 With handles)

9005 ZILV



- ✓ Fast and Easy install
- ✓ Bolt on: no milling
- ✓ Up to 1,200 lbs holding
- ✓ 500h salt spray resistant
- ✓ Two-layer coating



### SURFACE MOUNT ELECTRIC STRIKE - FAIL CLOSE (MODULEC)

9005 ZILV




- ✓ Compatible with bolt on locks
- ✓ Includes dead bolt receiver
- ✓ For profiles of min. 1-1/2"
- ✓ Easy install - no milling or grinding
- ✓ Energy efficient
- ✓ Industrial quality
- ✓ 660 lbs. holding force on latch bolt



### WEATHER RESISTANT KEYPAD (SUMSTONE)

9005 ZILV



- ✓ IP 68 rated - extremely weather resistant
- ✓ Stainless steel plate and buttons
- ✓ Integrated relay (NC or NO)
- ✓ Easy programming up to 100 codes
- ✓ Smart heating prevents freezing
- ✓ Buttons tested 1 mio cycles
- ✓ Tested -22°F to 160°F
- ✓ 10 up to 26 V AC/DC

### LOCKS - swing gates

#### STANDARD LOCK (LAKY J2 or wider body LAKQ U2)

9005 ZILV



- ✓ Stainless steel mechanism
- ✓ For left and right hand gates
- ✓ 3/8" bolt adjustment for LAKY, 3/4" for LAKQ
- ✓ Minimum spacing needed to first picket 3-3/8" (LAKY) or 3-3/4" (LAKQ)

### ALL-IN-ONE MECHANICAL CODELOCK (FREE VINCI or VINCI)

9005 ZILV

FREE EXIT (LFKQ)

2 SIDED (LMKQ)



- ✓ Code in code out or Free exit: 3 to 5 digits
- ✓ For left and right hand gates
- ✓ 3/4" bolt adjustment for minimum gate frame size
- ✓ Minimum spacing to first picket 4-3/8"



## INSERT LOCKS (H-METAL or FORTYLOCK)



- ✓ Stainless steel mechanism
- ✓ 3/8" continuous adjustment of daybolt
- ✓ 13/16" throw of hook
- ✓ Order handles, cylinders and cover shields separately

## KID SAFETY LOCK (TWIST 40)



- ✓ Stainless steel roller bolt
- ✓ Only for gate profiles of 1-1/2" (16 Ga).

## KEEPERS - swing gates

### STANDARD or SECURITY KEEP (SAKL or SHKL)



- ✓ Stainless steel keep
- ✓ Adjustable aluminum stop plate with rubber bumper
- ✓ Quickfix mounting



### INSERT KEEPS (SHKM or SFKI)



- ✓ Aluminum
- ✓ Anchoring plate for hook
- ✓ SHKM Adjustable for 1-1/2" to 2-1/2" profiles
- ✓ SFKI FOR 1-1/2" profiles



### ORNAMENTAL KEEP (SPKZ)



- ✓ Ornamental keep
- ✓ No stop plate

### ELECTRIC STRIKE (SE OR SEH)



- ✓ Stainless steel reinforced deadbolt
- ✓ Double blocking system
- ✓ Resists up to 1000lbs force
- ✓ Fail open or Fail close
- ✓ For mortise or bolt on locks

**FIT & FORGET**

## PANIC EXIT HARDWARE

### PANIC EXIT RELEASE BAR (PUSHBAR)



- ✓ Black aluminum
- ✓ Compatible with bolt on locks, free exit locks and insert locks
- ✓ Easy to install
- ✓ Industrial quality



## LOCKS & KEEPERS - slide gates

### MECHANICAL CODE LOCK (LLKZ)



- ✓ No electricity
- ✓ Code panel on both sides
- ✓ Easy Access control
- ✓ minimum gap 4-3/8"

### STANDARD SLIDE LOCK (LSKZ)



### STANDARD SLIDE KEEP (SSKZ)



- ✓ Left/right auto-adjustable
- ✓ Min profile size: 3" wide
- ✓ Quick Fix mounting

## HINGES

### 180° RESIDENTIAL GATE HINGE (PUMA)

9005 ZILV



- ✓ For left and right handed gates
- ✓ For gates up to 132 lbs. and 3-1/2 ft.
- ✓ Sold in pairs
- ✓ 3/4" vertical and 5/8" horizontal adjustability

### 180° WELD ON HINGE (GBMU)



- ✓ For left and right turning gates
- ✓ 180° opening and closing angle
- ✓ Black steel or Zinc welding parts
- ✓ Sold in pairs or in boxes of 50

### 180° HEAVY DUTY GATE HINGE (DINO)

9005 ZILV



- ✓ For left and right handed gates
- ✓ For gates up to 330 lbs. and 5 ft.
- ✓ Sold in pairs
- ✓ 3/4" adjustability both ways

### HIGHLY ADJUSTABLE 180° WELD ON HINGE (GBMU4D)



- ✓ For left and right turning gates
- ✓ 180° opening and closing angle
- ✓ 7/8" height adjustability
- ✓ Black steel or Zinc welding parts
- ✓ Sold in pairs or in boxes of 50

## DROP BOLTS

### KEY LOCKABLE DROP BOLT (KEYDROP)

9005 ZILV



- ✓ Throw of 5-1/2"
- ✓ Easy installation with Quick-Fix
- ✓ Adjustability of the bolt
- ✓ Industrial quality & design

### GROUND CATCH FOR DROP BOLTS (EGS)



- ✓ In-ground catch designed to put in concrete
- ✓ Hot dip galvanized base-plate

### STANDARD DROP BOLT (VSF or VSA)



- ✓ Throw of 5-1/2"
- ✓ Aluminum or Hot Dip Galvanized bolt
- ✓ Auto-locking between gate
- ✓ Easy installation with Quick-Fix



1 MOUNT DRILL-FIX



2 DRILL HOLES



3 MOUNT THE LOCK



4 JOB WELL DONE



## TOOL CASE WITH DRILL-FIX JIG FOR LOCKS AND KEEPERS (DRILL-FIX)

NEW

This jig is designed to self-center on square or round posts, and guarantees perfect alignment. This will allow you to easily drill the 4-hole pattern for the lock or the two holes necessary for the keeper.

The Drill-Fix comes in a sleek and sturdy case that includes all the necessary accessories to install Locinox locks and keepers.

### DRILL-FIX

- ✓ Tool case with self-centering drilling tool
- ✓ Drill jig can be used for round and rectangular profiles from 1-1/4" up to 3"
- ✓ Useful for installation of Locinox bolt-on locks and keepers in 4 easy steps
- ✓ Includes Locitool - 301.5LA
- ✓ Includes Allen Key for Quick-Fix and positioning pin
- ✓ Designed for installing all bolt-on locks and keepers



**LOCINOX**  
Let's make better fences together

- Locks
- Gate Closers
- Chainlink
- Pool & Park
- Access Control
- Ornamental



### MODULARITY

All our products are designed for maximum interchangeability, for easy configuration or replacement.



### TRUSTED QUALITY

Every product is tested a minimum of 500k movements.



### 3 YEAR WARRANTY

For all mechanical products. 2 year warranty for all electric and electronic products.



### 24H SHIPPING

Every order will be shipped within 24 hours.



### EASE OF INSTALLATION

All our products are fast and easy to install. Even when installing on site, thanks to the Quick-Fix.



### WEATHERPROOF RUSTPROOF

All Locinox products are tested in the most extreme circumstances and work in all seasons



### LEFT AND RIGHT

Every Locinox product is designed to use for both left and right handed gates.



### FULL SUPPORT

Our team of fence experts are at your service for any information you might need or any question you might have.



**www.Justpolyit.com**  
**Marketing@polyvinyle.com**